

Fabric code


WS03A / WM03A

OF 3%

Sergé

The Screen Essentials

Ultra wide range of proprietary woven screen fabrics. Unsurpassed flexibility, applicable in any kind of situation.



External and internal applications



Fabric code

WS03A / WM03A

OF 3%

The Screen Essentials

Sergé

Yarn

Technical specifications	Average Values	Standard
	Sergé	Metallic (available on demand)
Titer	165 tex	165 tex/weft 190 tex ISO 1889 (2009)
Weighted composition	Glass 41.5%, PVC 58.5%	Warp: Glass 41,5%, PVC 58,5% Weft: Glass 36%, PVC 64% ISO 3801 (1977)
Diameter	0.38 mm	warp 0,38mm/weft 0,41mm
Environment		Oekotex standard 100 

Fabric

Type of fabric	PVC-coated fiberglass fabric
Weave pattern	twill weave
Widths	1600, 1800, 2050, 2500 mm/Metallic: 2500 mm (tolerance 0%, +5%)
Roll length (nominally)	50 m

Technical specifications	Average Values	Standard
	Sergé	Metallic (available on demand)
Thickness	0.83 mm	0.86 mm ISO/DIS 5084.2 (1996)
Mass	525 g/m ²	567 g/m ² ISO 3801 (1977)
Yarns in warp/weft/cm	18/14	18/14 ISO 7211 (1984)
Fire resistance	M1	M1 NF P92-503 (1995)
	FR	FR NFPA 701 (2010)
	Type B	 BS 5867 (1993)
	B1	 DIN 4102 (1998)
	C-s3, d0	 EN 13501-1 (2010)
Breaking strength	warp 270 daN, weft 240 daN	warp 340 daN, weft 270 daN ISO 13934-1 (1999)
Elongation at break	warp 5.6%, weft 5%	warp 5.4%, weft 6,2% ISO 13934-1 (1999)
Tear resistance	warp 17 daN, weft 19 daN	warp 18 daN, weft 13 daN ISO 4674 part 1 method A (2003)
Acoustics	α_w : 0,10	ISO 354:2003
Colourfastness	7-8 scale of blue	7-8 scale of blue ISO 105 B02 (1994)
UV-resistance	min. 4 scale of grey (1-5)	ISO 105 B02 (1994)
Air porosity	960 l/m ² /sec	970 l/m ² /sec ISO/DIS 9237 (1995)

The Quality Chain

General - specifications are purely indicative and may not be considered as binding. Colours may vary from the samples shown

Cutting	crush or ultrasonic; railroad or width out of roll width
Welding	thermal, HF, ultrasonic, sewing
Cleaning	remove dust from the fabric surface, then wipe gently with a humid soft sponge while using a mild detergent

70101 white



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
	18.9	66.9	14.2	19.0	16.1	2.9	3.3	Class 1

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Values	0.20	0.35	0.18	0.36	0.14	0.35	0.09	0.25
Classes	2	2	2	1	3	1	4	2

70808 grey



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
	5.1	14.2	80.7	4.9	0.5	4.4	4.8	Class 377

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Values	0.22	0.64	0.17	0.62	0.10	0.52	0.09	0.30
Classes	2	0	2	0	3	0	4	2

70812 grey-sand - front/back




Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
Front	4.4	21.6	74.0	4.2	1.0	3.2	3.6	Class 3
Back	4.4	27.2	68.4	4.2	1.0	3.2	3.6	Class 3

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Front Values	0.20	0.59	0.15	0.59	0.09	0.50	0.08	0.29
Front Classes	2	0	2	0	4	1	4	2
Back Values	0.18	0.56	0.14	0.56	0.09	0.48	0.08	0.28
Back Classes	2	0	3	0	4	1	4	2

70801 grey-white - front/back



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
Front	4.4	27.2	68.4	4.4	1.8	2.6	3.0	Class 3
Back	4.4	38.9	56.7	4.4	1.8	2.6	3.0	Class 3

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Front Values	0.18	0.56	0.14	0.56	0.09	0.48	0.08	0.28
Front Classes	2	0	3	0	4	1	4	2
Back Values	0.16	0.49	0.12	0.50	0.08	0.44	0.07	0.27
Back Classes	2	1	3	1	4	1	4	2

70811 grey-dark blue - front/back




Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
Front	3.6	16.8	79.6	2.9	0.4	2.5	2.9	Class 3
Back	3.6	18.9	77.5	2.9	0.4	2.5	2.9	Class 3

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Front Values	0.20	0.62	0.15	0.61	0.09	0.51	0.08	0.29
Front Classes	2	0	2	0	4	0	4	2
Back Values	0.20	0.61	0.15	0.60	0.09	0.51	0.08	0.29
Back Classes	2	0	2	0	4	0	4	2

70818 grey-black - front/back




Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
Front	3.7	12.7	83.6	3.7	0.4	3.2	3.6	Class 3
Back	3.7	9.6	86.7	3.7	0.4	3.2	3.6	Class 3

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Front Values	0.21	0.64	0.16	0.63	0.10	0.53	0.09	0.30
Front Classes	2	0	2	0	4	0	4	2
Back Values	0.22	0.66	0.17	0.65	0.10	0.54	0.09	0.30
Back Classes	2	0	2	0	3	0	4	2

78026 grey-caramel - front/back



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
Front	5.0	22.2	72.8	4.8	1.1	3.6	4.0	Class 3
Back	5.0	28.9	66.1	4.8	1.1	3.6	4.0	Class 3

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Front Values	0.20	0.59	0.15	0.58	0.10	0.50	0.08	0.29
Front Classes	2	0	2	0	4	1	4	2
Back Values	0.19	0.55	0.14	0.55	0.09	0.47	0.08	0.28
Back Classes	2	0	3	0	4	1	4	2

71111 dark blue




Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
	12.8	26.6	60.6	5.6	0.5	5.1	5.6	Class 17

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Values	0.25	0.57	0.20	0.57	0.14	0.48	0.11	0.29
Classes	2	0	2	0	3	1	3	2

71203 sand-yellow - front/back




Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
Front	16.5	40.8	42.6	13.2	7.5	5.7	6.3	Class 0
Back	16.5	42.4	41.0	13.2	7.5	5.7	6.3	Class 0

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Front Values	0.24	0.50	0.20	0.50	0.15	0.44	0.11	0.27
Front Classes	2	1	2	1	3	1	3	2
Back Values	0.24	0.49	0.20	0.49	0.15	0.43	0.11	0.27
Back Classes	2	1	2	1	3	1	3	2

70867 pacific - front/back



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
Front	4.8	18.8	76.4	4.1	0.6	3.5	3.9	Class 3
Back	4.8	22.9	72.3	4.1	0.6	3.5	3.9	Class 3

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Front Values	0.21	0.61	0.16	0.60	0.10	0.51	0.08	0.29
Front Classes	2	0	2	0	4	0	4	2
Back Values	0.20	0.58	0.15	0.58	0.10	0.49	0.08	0.29
Back Classes	2	0	2	0	4	1	4	2

71201 sand-white - front/back



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
Front	12.2	44.8	43.0	10.6	6.0	4.6	5.1	Class 1
Back	12.2	50.6	37.2	10.6	6.0	4.6	5.1	Class 1

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Front Values	0.20	0.47	0.17	0.47	0.12	0.42	0.09	0.27
Front Classes	2	1	2	1	3	1	4	2
Back Values	0.19	0.43	0.16	0.44	0.11	0.41	0.08	0.26
Back Classes	2	1	2	1	3	1	4	2

71212 sand




Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
	8.2	38.3	53.5	6.7	3.1	3.7	4.2	Class 2

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Values	0.19	0.50	0.15	0.50	0.10	0.44	0.08	0.27
Classes	2	1	2	0	3	1	4	2

71213 sand-bronze - front/back




Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
Front	4.2	28.5	67.3	3.7	1.3	2.4	2.7	Class 3
Back	4.2	20.3	75.5	3.7	1.3	2.4	2.7	Class 3

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Front Values	0.18	0.55	0.14	0.55	0.09	0.48	0.07	0.28
Front Classes	2	0	3	0	4	1	4	2
Back Values	0.20	0.60	0.15	0.59	0.09	0.50	0.08	0.29
Back Classes	2	0	2	0	4	0	4	2

71256 fire - front/back




Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
Front	9.1	32.4	58.5	6.7	3.1	3.6	4.0	Class 2
Back	9.1	29.6	61.3	6.7	3.1	3.6	4.0	Class 2

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Front Values	0.21	0.54	0.17	0.53	0.11	0.46	0.09	0.28
Front Classes	2	0	2	0	3	1	4	2
Back Values	0.21	0.55	0.17	0.55	0.11	0.47	0.09	0.28
Back Classes	2	0	2	0	3	1	4	2

71305 bronze-tangerine - front/back




Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
Front	7.0	14.4	78.7	5.2	1.2	4.1	4.5	Class 3
Back	7.0	20.6	72.5	5.2	1.2	4.1	4.5	Class 3

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Front Values	0.23	0.64	0.18	0.62	0.12	0.52	0.10	0.30
Front Classes	2	0	2	0	3	0	4	2
Back Values	0.22	0.60	0.17	0.59	0.11	0.50	0.09	0.29
Back Classes	2	0	2	0	3	0	4	2

71308 bronze-grey - front/back




Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
Front	5.5	11.2	83.3	4.9	0.8	4.1	4.6	Class 3
Back	5.5	14.0	80.5	4.9	0.8	4.1	4.6	Class 3

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Front Values	0.23	0.65	0.17	0.64	0.11	0.53	0.09	0.30
Front Classes	2	0	2	0	3	0	4	2
Back Values	0.22	0.64	0.17	0.63	0.11	0.52	0.09	0.30
Back Classes	2	0	2	0	3	0	4	2

71313 bronze




Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
	4.8	9.1	86.1	4.7	0.5	4.2	4.6	Class 3

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Values	0.23	0.67	0.17	0.65	0.11	0.54	0.09	0.30
Classes	2	0	2	0	3	0	4	2

71317 bronze-pearl - front/back




Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
Front	6.7	14.7	78.6	6.2	1.9	4.3	4.8	Class 3
Back	6.7	20.9	72.4	6.2	1.9	4.3	4.8	Class 3

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Front Values	0.23	0.64	0.18	0.62	0.11	0.52	0.09	0.30
Front Classes	2	0	2	0	3	0	4	2
Back Values	0.21	0.60	0.17	0.59	0.11	0.50	0.09	0.29
Back Classes	2	0	2	0	3	0	4	2

71513 lime-bronze - front/back




Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
Front	8.2	27.5	64.3	7.5	3.2	4.2	4.7	Class 2
Back	8.2	19.5	72.3	7.5	3.2	4.2	4.7	Class 2

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Front Values	0.21	0.56	0.17	0.56	0.11	0.48	0.09	0.28
Front Classes	2	0	2	0	3	1	4	2
Back Values	0.23	0.61	0.18	0.60	0.12	0.51	0.10	0.29
Back Classes	2	0	2	0	3	0	4	2

71581 kiwano - front/back



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
Front	16.1	40.2	43.7	13.3	8.2	5.1	5.7	Class 0
Back	16.1	40.7	43.2	13.3	8.2	5.1	5.7	Class 0

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Front Values	0.24	0.50	0.20	0.50	0.14	0.44	0.11	0.27
Front Classes	2	1	2	1	3	1	3	2
Back Values	0.24	0.50	0.20	0.50	0.14	0.44	0.11	0.27
Back Classes	2	1	2	1	3	1	3	2

71608 linen-grey - front/back




Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
Front	12.2	39.4	48.4	9.7	5.1	4.6	5.1	Class 1
Back	12.2	31.5	56.3	9.7	5.1	4.6	5.1	Class 1

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Front Values	0.21	0.50	0.18	0.50	0.12	0.44	0.09	0.27
Front Classes	2	1	2	1	3	1	4	2
Back Values	0.23	0.54	0.19	0.54	0.13	0.47	0.10	0.28
Back Classes	2	0	2	0	3	1	4	2

71515 lime



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
	14.6	39.4	46.0	12.0	7.6	4.4	4.9	Class 1

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Values	0.23	0.50	0.19	0.50	0.14	0.44	0.10	0.27
Classes	2	0	2	0	3	1	3	2

71601 linen-white - front/back



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
Front	15.2	56.8	28.0	13.5	9.8	3.7	4.2	Class 1
Back	15.2	58.9	25.9	13.5	9.8	3.7	4.2	Class 1

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Front Values	0.20	0.40	0.17	0.41	0.13	0.39	0.09	0.26
Front Classes	2	1	2	1	3	1	4	2
Back Values	0.19	0.39	0.17	0.40	0.12	0.38	0.09	0.26
Back Classes	2	1	2	1	3	1	4	2

71611 linen-dark blue - front/back



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
Front	13.7	42.0	44.3	7.7	3.8	3.8	4.3	Class 2
Back	13.7	35.3	51.0	7.7	3.8	3.8	4.3	Class 2

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Front Values	0.22	0.49	0.18	0.49	0.13	0.43	0.10	0.27
Front Classes	2	1	2	1	3	1	4	2
Back Values	0.23	0.52	0.19	0.52	0.14	0.46	0.10	0.28
Back Classes	2	0	2	0	3	1	3	2

71616 **linen**




Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
	13.4	53.2	33.4	11.0	7.2	3.8	4.2	Class 1

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Values	0.19	0.42	0.16	0.43	0.12	0.40	0.09	0.26
Classes	2	1	2	1	3	1	4	2

71701 **pearl-white** - front/back



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
Front	7.2	46.9	45.9	5.8	3.3	2.4	2.8	Class 2
Back	7.2	53.5	39.3	5.8	3.3	2.4	2.8	Class 2

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Front Values	0.16	0.45	0.13	0.46	0.09	0.42	0.07	0.27
Front Classes	2	1	3	1	4	1	4	2
Back Values	0.15	0.41	0.12	0.42	0.08	0.39	0.06	0.26
Back Classes	3	1	3	1	4	1	4	2

71716 **pearl-linen** - front/back




Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
Front	7.2	43.0	49.8	5.4	2.6	2.8	3.2	Class 2
Back	7.2	46.7	46.1	5.4	2.6	2.8	3.2	Class 2

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Front Values	0.17	0.47	0.14	0.48	0.09	0.43	0.07	0.27
Front Classes	2	1	3	1	4	1	4	2
Back Values	0.16	0.45	0.13	0.46	0.09	0.42	0.07	0.27
Back Classes	2	1	3	1	4	1	4	2

71622 **linen-lichen** - front/back



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
Front	8.0	33.5	58.5	7.5	3.8	3.7	4.2	Class 2
Back	8.0	21.3	70.7	7.5	3.8	3.7	4.2	Class 2

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Front Values	0.20	0.53	0.16	0.53	0.10	0.46	0.08	0.28
Front Classes	2	0	2	0	3	1	4	2
Back Values	0.22	0.60	0.18	0.59	0.12	0.50	0.09	0.29
Back Classes	2	0	2	0	3	1	4	2

71708 **pearl-grey** - front/back




Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
Front	11.0	29.8	59.2	9.1	4.3	4.8	5.4	Class 2
Back	11.0	25.5	63.6	9.1	4.3	4.8	5.4	Class 2

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Front Values	0.23	0.55	0.18	0.55	0.12	0.47	0.10	0.28
Front Classes	2	0	2	0	3	1	4	2
Back Values	0.23	0.58	0.19	0.57	0.13	0.49	0.10	0.29
Back Classes	2	0	2	0	3	1	3	2

71717 **pearl**



Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
	7.7	39.7	52.6	6.0	2.6	3.4	3.8	Class 27

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Values	0.18	0.49	0.15	0.50	0.10	0.44	0.08	0.27
Classes	2	1	3	1	4	1	4	2


71812 black-sand - front/back

Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
Front	4.9	13.7	81.4	4.4	1.1	3.3	3.6	Class 3
Back	4.9	21.2	73.9	4.4	1.1	3.3	3.6	Class 3

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Front Values	0.22	0.64	0.17	0.63	0.10	0.52	0.09	0.30
Front Classes	2	0	2	0	3	0	4	2
Back Values	0.20	0.59	0.16	0.59	0.10	0.50	0.08	0.29
Back Classes	2	0	2	0	4	1	4	2


71816 black-linen - front/back

Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
Front	5.6	16.1	78.3	5.3	1.6	3.6	4.0	Class 3
Back	5.6	26.0	68.4	5.3	1.6	3.6	4.0	Class 3

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Front Values	0.22	0.63	0.17	0.61	0.11	0.52	0.09	0.29
Front Classes	2	0	2	0	3	0	4	2
Back Values	0.20	0.57	0.15	0.56	0.10	0.48	0.08	0.29
Back Classes	2	0	2	0	4	1	4	2

71818 black

Solar Heat & Light Control Properties

	Ts	Rs	As	Tv	TVdiff	TVdir	Tuv	Glare Control
	2.6	5.2	92.2	2.6	0.3	2.3	2.6	Class 3

gtot

	A		B		C		D	
	ext.	int.	ext.	int.	ext.	int.	ext.	int.
Values	0.22	0.69	0.16	0.67	0.10	0.55	0.09	0.30
Classes	2	0	2	0	4	0	4	2